

MEDICAL MARIJUANA NEW PATIEN INTAKE FORM:



Today's Date:_____

Last and First Name:			
Date of Birth:			
Social Security Number:			
Florida's Driver's License number or Florida State Identification Card number:			
Your phone number:			
Your e-mail:			
Your current weight:			
Are you a permanent resident ONO ONE YES			
Do you have a caregiver? 🗆 NO 🗀 YES, name			
Are you pregnant, planning to become pregnant, or breastfeeding?	NO	YES	
Family History of psychiatric disorders? If yes, what relation to you and diagnosis	NO	YES	
Have you ever obtained Medical Marijuana License in another state?	NO	YES	
Personal Medical History: (please, circle NO or YES)			
Heart disease/History of ischemia or MI	NO	YES	
Cancer	NO	YES	
Epilepsy/ Seizures	NO	YES	
PTSD (Post-traumatic Stress Disorder)	NO	YES	
Anxiety	NO	YES	
HIV/AIDS	NO	YES	
Amyotrophic Lateral Sclerosis	NO	YES	
Parkinson/s Disease or Multiple Sclerosis	NO	YES	
Psychiatric disorder (Bipolar, Mood disorder, Schizophrenia)	NO	YES	
Low blood pressure	NO	YES	
Crohn's Disease	NO	YES	
Lung disorder (asthma, COPD, etc.)	NO	YES	
Liver or Kidney disease	NO	YES	
Substance abuse	NO	YES	
Eating disorders or low appetite	NO	YES	
Cannabinoid hyperemesis syndrome	NO	YES	

Do you have any special needs during mo	edical visits? 🛚	No 🗆 Yes	
Does your job require you to drive (e.g. l	Bus driver)? 🛚	No □ Yes	
Last healthcare provider name	-		
General:	TOU HAVE OF	HAVE YOU EVER HAD: Endocrine:	
Fatigue/Weakness	□ No □ Yes	Diabetes, type II / Prediabetes	□ No □ Yes
Recent weight loss or gain	□ No □ Yes	Thyroid Disease	□ No □ Yes
Autoimmune disorders (Lupus,RA,ect.)	□ No □ Yes	Muscles/Bones/Skin:	
Respiratory:			N. V
Shortness of breath	□ No □ Yes	Muscle pain/Cramps	□ No □ Yes
COPD/Bronchitis/Emphysema/Asthma	□ No □ Yes	Arthritis/ Joint pain	□ No □ Yes
Sleep apnea/ snoring	□ No □ Yes	Neck or Back pain or stiffness	□ No □ Yes
Cardiovascular:		Dermatitis /Eczema/ Psoriasis if Yes, specify:	□ No □ Yes
Chest pain or pressure	□ No □ Yes	Neurological/Mental:	
Palpitations	□ No □ Yes	Headaches	□ No □ Yes
High cholesterol/ lipids	□ No □ Yes	Dizzy spells/ Vertigo	□ No □ Yes
Swollen feet or ankles:	□ No □ Yes	Balance problems	□ No □ Yes
if Yes: Rt leg Lt leg Both legs Heart surgery	□ No □ Yes	Stroke/ TIA	□ No □ Yes
if Yes, specify:		Confusion/ Memory loss	□ No □ Yes
Gastrointestinal:		Depression	□ No □ Yes
Nausea / Vomiting	□ No □ Yes	Insomnia	□ No □ Yes
Constipation	□ No □ Yes	ENT/Eyes:	
Diarrhea	□ No □ Yes	Double vision	□ No □ Yes
		Seeing a halo around lights	□ No □ Yes
		Glaucoma	□ No □ Yes
		0.00000	2.00
Past surgeries or serious injuries:	Date:	Allergies:	Reaction:
		Medications: □ No □ Yes	
		Food: • No • Yes	
		Pollen/Dust/Other: No Yes	
	1		
Current medications: Dose: T	ïmes per day:	Habits:	
		Alcohol use: Never Socially H	eavy - Dependent
		Smoking: Never Quit Smoking:	1
		Smokedpacks/day foryears. Qu	
		Currently smokingpacks/day. Sm	oking foryears
		Illicit drugs: None Cocaine Of	her:
		Current Medical Marijuana use:	No □ Yes

• Other Information: (Please write below any other information not covered in this Clinical History that you feel the provider should know about)				
Patient's Signature:				
I certify that, to the best of my knowledge, the above inform	mation is true and accurate.			
Patient's Signature:	_Today's Date:			
I acknowledge insurance does not cover the cost of any me	edical marijuana expenses.			
Patient's Signature:	_Today's Date:			
I acknowledge marijuana is still a federally illegal drug.				
Patient's Signature:	_Today's Date:			

Record of Disclosures of Protected Health Information

<u>Date</u>	<u>Disclosed To Whom Addressed</u>	<u>Description of Disclosure</u>	By Whom Disclosed
			
	South Ta	ımpa Health Services	
	110 s I	Macdill Ave., Suite 300	
	Т	Campa, FL 33609	
	Tel	le: (813) 564-0102	
	Fa	x: (813) 877-1277	
	Private Practi	ices Acknowledge	<u>ment</u>
I have received review it	ived the Notice of Privacy Prac	tices and I have been prov	vided an opportunity to
Name:		Date Of Bir	th:
Signature		Date:	

PATIENT OF RECORD DISCLOSURES

In general, the HIPAA privacy rules give the individual the right to request a restriction on uses and disclosures of private information (PHI). The individual is also provided the right to request confidential communication of PHI, be made by alternative means, such as sending correspondence to the individual's office instead of home.


I wish to be contacted in the following many (check	all that apply):	
[] Home Telephone:		
[] O.K. to leave message with detailed inform	ation	
[] Leave message with call back number only	7	
[] Work Telephone:		
[] O.K to leave message with detailed information	ation	
[] Written Communication		
[] O.K. to mail to my home address.		
[] O.K. to mail to my work/office address		
[] O.K. to fax to this number		
[] Other:		
Patient Signature	Date	
Print Name	Date of Birth	
The Privacy Rule generally requires healthcare prov PHI, and for the PHI to the minimum necessary to ac to the use made pursuant to an authorization reques PHI disclosures. Information provided below, if comp	complish the intended purpos ted by the individual. Healthc	se. These provisions do not apply are entities must keep records o
Note: Uses and disclosures for TPO may	be permitted without prior co	onsent in emergency.

Medical Marijuana Consent Form

A qualified physician may not delegate the responsibility of obtaining written informed consent to another person. The qualified patient, or the patient's parent or legal guardian if the patient is a minor, must initial each section of this consent form to indicate that the physician explained the information and, along with the qualified physician, must sign and date the informed consent form.

This consent form contains three parts. Part A must be completed by all patients. Part B is only required for patients under the age of 18 with a diagnosed terminal condition who receive a certification for medical marijuana in a smokable form. Part C is the signature block and must be completed by all patients.

Part A: Must be completed for all medical marijuana patients



understand that if I drive while under the influence of marijuana, I can be arrested for "driving under the influence."

e. The potential side effects of medical marijuana use.

	Potential side effects from the use of marijuana include, but are not limited to, the following: dizziness, anxiety, confusion, sedation, low blood pressure, impairment of short term memory, euphoria, difficulty in completing complex tasks, suppression of the body's immune system, may affect the production of sex hormones that lead to adverse effects, inability to concentrate, impaired motor skills, paranoia, psychotic symptoms, general apathy, depression and/or restlessness. Marijuana may exacerbate schizophrenia in persons predisposed to that disorder. In addition, the use of medical marijuana may cause me to talk or eat in excess, alter my perception of time and space and impair my judgment. Many medical authorities claim that use of medical marijuana, especially by persons younger than 25, can result in long-term problems with attention, memory, learning, drug abuse, and schizophrenia.
	There is substantial evidence of a statistical association between long-term cannabis smoking and worsening respiratory symptoms and more frequent chronic bronchitis episodes. Smoking marijuana is associated with large airway inflammation, increased airway resistance, and lung hyperinflation. Smoking cannabis, much like smoking tobacco, can introduce levels of volatile chemicals and tar in the lungs that may raise concerns about the risk of cancer and lung disease.
	I understand that using marijuana while consuming alcohol is not recommended. Additional side effects may become present when using both alcohol and marijuana.
	I agree to contact Dr if I experience any of the side effects listed above, or if I become depressed or psychotic, have suicidal thoughts, or experience crying spells. I will also contact Dr if I experience respiratory problems, changes in my normal sleeping patterns, extreme fatigue, increased irritability, or begin to withdraw from my family and/or friends.
f. The	e risks, benefits, and drug interactions of marijuana.
	Signs of withdrawal can include: feelings of depression, sadness, irritability, insomnia, restlessness, agitation, loss of appetite, trouble concentrating, sleep disturbances and unusual tiredness.
	Symptoms of marijuana overdose include, but are not limited to, nausea, vomiting, hacking cough, disturbances in heart rhythms, numbness in the hands, feet, arms or legs, anxiety attacks and incapacitation. If I experience these symptoms, I agree to contact Dr immediately or go to the nearest emergency room.
	Numerous drugs are known to interact with marijuana and not all drug interactions are known. Some mixtures of medications can lead to serious and even fatal consequences.
	I agree to follow the directions of Dr regarding the use of prescription and non-prescription medication. I will advise any other of my treating physician(s) of my use of medical marijuana.

6488-9.018, F.A.C. 64815-14.013, F.A.C. DH-MQA-5026 (Rev. 04/19)

 Marijuana may increase the risk of bleeding, low blood pressure, elevated blood sugar, liver enzymes, and other bodily systems when taken with herbs and supplements. I agree to contact Dr immediately or go to the nearest emergency room if these symptoms occur.
 I understand that medical marijuana may have serious risks and may cause low birthweight or other abnormalities in babies. I will advise Dr if I become pregnant, try to get pregnant, or will be breastfeeding.

g. The current state of research on the efficacy of marijuana to treat the qualifying conditions set forth in this section.

--- Cancer

• There is insufficient evidence to support or refute the conclusion that cannabinoids are an effective treatment for cancers, including glioma.

There is evidence to suggest that cannabinoids (and the endocannabinoid system more generally) may play a role in the cancer regulation processes. Due to a lack of recent, high quality reviews, a research gap exists concerning the effectiveness of cannabis or cannabinoids in treating cancer in general.

• There is conclusive evidence that oral cannabinoids are effective antiemetics in the treatment of chemotherapy-induced nausea and vomiting.

There is insufficient evidence to support or refute the conclusion that cannabinoids are an effective treatment for cancer-associated anorexia-cachexia syndrome and anorexia nervosa.

— Epilepsy

• There is insufficient evidence to support or refute the conclusion that cannabinoids are an effective treatment for epilepsy.

Recent systematic reviews were unable to identify any randomized controlled trials evaluating the efficacy of cannabinoids for the treatment of epilepsy. Currently available clinical data therefore consist solely of uncontrolled case series, which do not provide high-quality evidence of efficacy. Randomized trials of the efficacy of cannabidiol for different forms of epilepsy have been completed and await publication.

___ Glaucoma

 There is limited evidence that cannabinoids are an ineffective treatment for improving intraocular pressure associated with glaucoma.

Lower intraocular pressure is a key target for glaucoma treatments. Nonrandomized studies in healthy volunteers and glaucoma patients have shown short-term reductions in intraocular pressure with oral, topical eye drops, and intravenous cannabinoids, suggesting the potential for therapeutic benefit. A good-quality systemic review identified a single small trial that found no effect of two cannabinoids, given as an oromucosal spray, on intraocular pressure. The quality of evidence for the finding of no effect is limited. However, to be effective, treatments targeting lower intraocular pressure must provide continual rather than transient reductions in intraocular

pressure. To date, those studies showing positive effects have shown only short-term benefit on intraocular pressure (hours), suggesting a limited potential for cannabinoids in the treatment of glaucoma.

Positive status for human immunodeficiency virus

• There is limited evidence that cannabis and oral cannabinoids are effective in increasing appetite and decreasing weight loss associated with HIV/AIDS.

There does not appear to be good-quality primary literature that reported on cannabis or cannabinoids as effective treatments for AIDS wasting syndrome.

Acquired immune deficiency syndrome

• There is limited evidence that cannabis and oral cannabinoids are effective in increasing appetite and decreasing weight loss associated with HIV/AIDS.

There does not appear to be good-quality primary literature that reported on cannabis or cannabinoids as effective treatments for AIDS wasting syndrome.

Post-traumatic stress disorder

 There is limited evidence (a single, small fair-quality trial) that nabilone is effective for improving symptoms of posttraumatic stress disorder

A single, small crossover trial suggests potential benefit from the pharmaceutical cannabinoid nabilone. This limited evidence is most applicable to male veterans and contrasts with non-randomized studies showing limited evidence of a statistical association between cannabis use (plant derived forms) and increased severity of posttraumatic stress disorder symptoms among individuals with posttraumatic stress disorder. There are other trials that are in the process of being conducted and if successfully completed, they will add substantially to the knowledge base.

___ Amyotrophic lateral sclerosis

• There is insufficient evidence that cannabinoids are an effective treatment for symptoms associated with amyotrophic lateral sclerosis.

Two small studies investigated the effect of dronabinol on symptoms associated with ALS. Although there were no differences from placebo in either trial, the sample sizes were small, the duration of the studies was short, and the dose of dronabinol may have been too small to ascertain any activity. The effect of cannabis was not investigated.

Crohn's disease

• There is insufficient evidence to support or refute the conclusion that dronabinol is an effective treatment for the symptoms of irritable bowel syndrome.

Some studies suggest that marijuana in the form of cannabidiol may be beneficial in the treatment of inflammatory bowel diseases, including Crohn's disease.

Parkinson's disease

• There is insufficient evidence that cannabinoids are an effective treatment for the motor system symptoms associated with Parkinson's disease or the levodopainduced dyskinesia.

Evidence suggests that the endocannabinoid system plays a meaningful role in certain neurodegenerative processes; thus, it may be useful to determine the efficacy of cannabinoids in treating the symptoms of neurodegenerative diseases. Small trials of oral cannabinoid preparations have demonstrated no benefit compared to a placebo in ameliorating the side effects of Parkinson's disease. A seven-patient trial of nabilone suggested that it improved the dyskinesia associated with levodopa therapy, but the sample size limits the interpretation of the data. An observational study demonstrated improved outcomes, but the lack of a control group and the small sample size are limitations.

— Multiple sclerosis

• There is substantial evidence that oral cannabinoids are an effective treatment for improving patient-reported multiple sclerosis spasticity symptoms, but limited evidence for an effect on clinician-measured spasticity.

Based on evidence from randomized controlled trials included in systematic reviews, an oral cannabis extract, nabiximols, and orally administered THC are probably effective for reducing patient-reported spasticity scores in patients with MS. The effect appears to be modest. These agents have not consistently demonstrated a benefit on clinician-measured spasticity indices.

— Medical conditions of same kind or class as or comparable to the above qualifying medical conditions

- The qualifying physician has provided the patient or the patient's parent or legal guardian a summary of the current research on the efficacy of marijuana to treat the patient's medical condition.
- The summary is attached to this informed consent as Addendum_____

Terminal conditions diagnosed by a physician other than the qualified physician issuing the physician certification

- The qualifying physician has provided the patient or the patient's caregiver a summary of the current research on the efficacy of marijuana to treat the patient's terminal condition.
- The summary is attached to this informed consent as Addendum______

___ Chronic nonmalignant pain

• There is substantial evidence that cannabis is an effective treatment for chronic pain in adults.

The majority of studies on pain evaluated nabiximols outside the United States. Only a handful of studies have evaluated the use of cannabis in the United States. and all of them evaluated cannabis in flower form provided by the National Institute on Drug Abuse. In contrast, many of the cannabis products that are sold in state-regulated markets bear little resemblance to the products that are available for research at the federal level in the United States. Pain patients also use topical forms.

6488-9.018, F.A.C. 64815-14.013, F.A.C. DH-MQA-5026 (Rev. 04/19) While the use of cannabis for the treatment of pain is supported by well controlled clinical trials, very little is known about the efficacy, dose, routes of administration, or side effects of commonly used and commercially available cannabis products in the United States.

h.	That the patient's de-identified health information contained in the physician
	certification and medical marijuana use registry may be used for research
	purposes.

The Department of Health submits a data set to the Consortium for Medical Marijuana Clinical Outcomes Research for each patient registered in the medical marijuana use registry that includes the patient's qualifying medical condition and the daily dose amount and forms of marijuana certified for the patient.

PART B: Certification for medical marijuana in a smokable form for a patient under 18 with a diagnosed terminal condition.

Initial here if you are not a patient under 18 with a diagnosed terminal condition who will be receiving medical marijuana in a smokable form. After initialing here, complete part C.

If the patient is under 18, has a diagnosed terminal condition, and will be receiving medical marijuana in a smokable form, please review and initial the remainder of Part B before completing Part C.

Respiratory Health

Exposures to tobacco smoke and household air pollution consistently ranks among the top risk factors not only for respiratory disease burden but also for the global burden of disease. Given the known relations ships between tobacco smoking and multiple respiratory conditions, one could hypothesize that long-term cannabis smoking leads to similar deleterious effects of respiratory health, and some investigators ague that cannabis smoking may be even more harmful that of tobacco smoking. Data collected from 15 volunteers suggest that smoking one cannabis joint can lead to four times the exposure to carbon monoxide and three to five times more tar deposition than smoking a single cigarette.

Cognitive and Psychosocial Development

Researchers are still studying the long-term health effects of marijuana. Most people agree that marijuana use hurts adolescents more than adults. It is during the period of adolescence and young adulthood that the neural substrates that underlie the development of cognition are most active. Adolescence marks one of the most impressive stretches of neural and behavioral change with substantial a protracted development in terms of both brain structure and function. As a result, cannabis and other substance use during this period may incur relatively greater interference in neural, social, and academic functioning compared to late developmental periods.

- There is moderate evidence of a statistical association between acute cannabis use and impairment in the cognitive domains of learning, memory, and attention.
- There is limited evidence of a statistical association between sustain abstinence form cannabis use and impairments in the cognitive domains of learning, memory, and attention.
- There is limited evidence of a statistical association between cannabis use and impaired academic achievement and education outcomes.

6488-9.018, F.A.C. 64815-14.013, F.A.C. DH-MQA-5026 (Rev. 04/19)

•	There is limited evidence of a statistical association between cannabis use and increased rates of
	unemployment and/or low income.

•	There is limited evidence of a statistical association between cannabis use and impaired social
	functioning or engagement in developmentally appropriate social roles.

_	•	- 10	•			
	d	~ I :	-	•.	^	-
					"	
	w	м			v	

Marijuana, like some other brain-altering substances, can be addictive. Nearly one in 10 marijuana users will become addicted. Starting to use marijuana at a younger age can lead to a greater risk of developing a substance use disorder later in life. Adolescents who begin using marijuana before age 18 are four to seven times more likely than adults to develop a marijuana use disorder

	I have had the opportunity to discuss these matters with the physician and to ask questions
	regarding anything I may not understand or that I believe needed to be clarified. I acknowledge
	that Dr has informed me of the nature of a recommended treatment,
	including but not limited to, any recommendation regarding medical marijuana.
	also informed me of the risks, complications, and expected benefits of any
recom	mended treatment, including its likelihood of success and failure. I acknowledge that Dr.
	informed me of any alternatives to the recommended treatment, including the ative of no treatment, and the risks and benefits. Dr has
	ned the information in this consent form about the medical use of marijuana.
C/1610	
Patien	t (print name)
Dation	
Patien	t signature or signature of the parent or legal guardian if the patient is a minor:
	Date
Lbava	
	explained the information in this consent form about the medical use of marijuana to (Print patient name).
	(Finit patient name).
Qualif	ed physician signature:
	Date
	
Witne	SS:
	Data

INFORMATION FOR A NEW PATIENT:

You must have a valid Florida's Driver's License number or State Identification Card number.

What to expect after an Initial Visit:

Within 24 hours, we will create a registry in the Florida Medical Marijuana use database. We will enter your contact information, SSN, Driver's License (or ID), and your weight.

You will receive an email from FL Health Medical Marijuana Use Registry with detailed instructions on creating your online account.

- Please, be sure to check your Spam Folder
- If you do not receive an email within 5 business days, please call: (800) 808-9580

With the information given in the email, you will need to create an account, pay a fee of \$75, and upload your Driver's license (or ID). Please, follow the instructions provided in the email.

You can expect approval within 10 business days, but it can be longer. Medical Marijuana Registry ID card must be renewed annually (through the state).

We will send an order to MM dispensary, which become an active in 10 days from today,

on		

Re-certification:

After the initial visit, a patient must come back for re-certification in 70 days after starting using Medical Marijuana. This visit will be free of cost in our clinic.

All further re-certifications will be for a 210-day interval.

The dispensary can dispense no more than a 70-day supply at once.

You can come 1-2 weeks before the script expires, and it will be extended without interruption. You can come after the script expires, and we will send an order to a dispensary on the same day as a visit.